AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application. In amendments to the claims, additions are represented by <u>underlining</u> and deletions are represented by <u>strikethrough</u> or, in cases of five characters or fewer, by [[double brackets]].

LISTING OF CLAIMS

- 1.-20. (Canceled)
- 21. (Currently Amended) A compound of formula (VI):

or a salt thereof, wherein:

R4, R5, R7 and R8 are independently selected from hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, lower alkenyl, substituted lower alkenyl, lower alkenyl, substituted lower alkynyl, alkylalkenyl, alkyl alkynyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, heteroalkyl, cycloalkyl, substituted cycloalkyl, alkylcycloalkyl, alkylcycloheteroalkyl, nitro, cyano, -CONHNH2 or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl;

R4 is hydrogen, halogen, thiol, lower alkyl, substituted lower alkyl, lower alkenyl, substituted lower alkenyl, lower alkynyl, substituted lower alkynyl, alkylalkenyl, alkyl alkynyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, heteroalkyl, cycloalkyl, substituted cycloalkyl, alkylcycloalkyl, alkylcycloheteroalkyl, nitro, cyano, -CONHNH2 or -S(O)0-2R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl;

R6 is hydrogen, halogen, CN, NO₂, NH₂, or -OR, wherein R is C1-C10 alkyl or arylalkyl;

R9 is hydrogen, C1-C10 alkyl, aryl, or halogen;

x is CR11 or N:

y is CR12 or N;

z is CR13 or N:

r is CR14 or N;

x' is CR15 or N;

y' is CR16 or N;

z' is CR17 or N:

r' is CR18 or N:

R10 is H, lower alkyl, substituted lower alkyl, lower alkenyl, substituted lower alkenyl, lower alkynyl, substituted lower alkynyl, alkoxy; methoxy, aryl, substituted aryl, heteroaryl, substituted heteroaryl, acyl or –SO₂PhCH₃; and;

R11, R12, R13, R14, R15, R16, R16, R47 and R18 are independently selected from hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, lower alkenyl, substituted lower alkynyl, alkylalkenyl, alkyl alkynyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, heteroalkyl, cycloalkyl, substituted cycloalkyl, alkylcycloalkyl, alkylcycloheteroalkyl, nitro, cyano, -N=CRR', wherein R and R' are independently selected from H, alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, substituted heterocycle, heteroaryl, substituted heterocycle, substituted heterocycle, substituted heterocycle, substituted heterocycle, substituted heterocycle,

-NHC(S)NH-phenyl (substituted or unsubstituted); and,

R13 and R17 are independently hydrogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, lower alkenyl, substituted lower alkynyl, substituted lower alkynyl, alkylalkenyl, alkyl alkynyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, heteroalkyl, cycloalkyl, substituted cycloalkyl, alkylcycloalkyl, alkylcycloheteroalkyl, nitro, cyano, -N=CRR', wherein R and R' are independently selected from H, alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, substituted heterocycle, heteroaryl, substituted heteroaryl; or -NHC(S)NH-phenyl (substituted or unsubstituted).

22. (Currently Amended) The compound according to claim 21, wherein:

R4, R5, R7 and R8 are independently selected from hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONHNH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl, and,

R4 is hydrogen, halogen, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano,

-CONHNH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl.

23. (Withdrawn) The compound according to claim 21, wherein:

x is CR11;

y is CR12;

z is CR13;

r is CR14;

x' is CR15;

y' is CR16;

z' is CR17; and

r' is CR18.

24. (Previously Presented) The compound according to claim 21, wherein:

x is CR11 or N:

y is CR12;

z is CR13;

r is CR14 or N;

x' is CR15 or N;

y' is CR16;

z' is CR17; and

r' is CR18 or N.

- 25. (Previously Presented) The compound according to claim 21, wherein:
 - x is CR11;
 - y is CR12;
 - z is CR13;
 - r is CR14 or N;
 - x' is CR15;
 - y' is CR16;
 - z' is CR17; and
 - r' is CR18 or N.
- 26. (Currently Amended) The compound according to claim 21, selected from:

- (Previously Presented) A pharmaceutical composition comprising the compound of claim
 and a pharmaceutically acceptable carrier.
- (Withdrawn) A method of treating cancer in a mammal, comprising administering to said mammal an effective amount of a compound of claim 21 or a pharmacologically acceptable salt thereof.
- 29. (Withdrawn) The method of claim 28, wherein said cancer is a solid tumour,
- 30. (Withdrawn) The method of claim 28, wherein said cancer is selected from the group of: breast cancer, central nervous system cancer, cervical cancer, colon cancer, liver cancer, lung cancer, melanoma, ovarian cancer, pancreatic cancer, prostate cancer, renal cancer, and leukemia
- (Withdrawn) The method of claim 28, wherein said compound is administered in combination with an anti-cancer agent.

- 32. (Withdrawn) The method of claim 28, wherein said mammal is a human.
- (Withdrawn Currently Amended) The method of claim 28, wherein in the compound of formula VI:

R4, R5, R7 and R8 are independently selected from hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONHNH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl₂; and,

R4 is hydrogen, halogen, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONHNH2 or -S(O)₈₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl.

34. (Withdrawn) The method of claim 28, wherein in the compound of formula VI:

x is CR11;

y is CR12;

z is CR13;

r is CR14;

x' is CR15:

y' is CR16;

z' is CR17; and

r' is CR18.

35. (Withdrawn) The method of claim 28, wherein in the compound of formula VI:

		y is CR12;
		z is CR13;
		r is CR14 or N;
		x' is CR15 or N;
		y' is CR16;
		z' is CR17; and
		r' is CR18 or N.
36.	(Witho	drawn) The method of claim 28, wherein in the compound of formula VI:
		x is CR11;
		y is CR12;
		z is CR13;
		r is CR14 or N;
		x' is CR15;

 (Withdrawn – Currently Amended) The method of claim 28, wherein in the compound is selected from:

1082618 21

y' is CR16; z' is CR17; and r' is CR18 or N.

x is CR11 or N;

165

1082618 27

189

1082618 29

38. (Withdrawn) The method of claim 28, wherein said compound is:

39. (Previously Presented) The compound according to claim 21, wherein said compound is:

90

40.	(Previously Presented) The compound according to claim 21, wherein:	
	x is CR11;	
	y is CR12;	
	z is CR13;	
	r is N;	
	x' is CR15;	
	y' is CR16;	
	z' is CR17; and	
	r' is N.	
41.	(Previously Presented) The compound according to claim 21, wherein:	
	x is CR11;	
	y is CR12;	
	z is CR13;	
	r is N;	
	x' is CR15;	
	y' is CR16;	
	z' is CR17;	
	r' is N; and	

wherein R11, R12, R13, R15, R16, and R17 are hydrogen.

42. (Currently Amended) The compound according to claim 21, wherein:

```
x is CR11;
y is CR12;
z is CR13;
r is N;
x' is CR15;
y' is CR16;
z' is CR17;
r' is N;
```

R4, R5, R7 and R8 are independently selected from hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONHNH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl; and

wherein-R11, R12, R13, R15, R16, and R17 are hydrogen; and,

R4 is hydrogen, halogen, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONHNH2 or -S(O)_{@2}R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl.

43. (Currently Amended) The compound according to claim 21, wherein:

x is CR11;

y is CR12;
z is CR13;
r is N;
x' is CR15;
y' is CR16;
z' is CR17;
r' is N;
R4 is hydrogen;

R5, R7 and R8 are independently selected from hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONHNH2 or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocryl; and

wherein R11, R12, R13, R15, R16, and R17 are hydrogen.

44. (Withdrawn-Currently Amended) The compound according to claim 21, wherein:

x is CR11; y is CR12; z is CR13; r is N; x' is CR15;

y' is CR16;

z' is CR17;

r' is N:

R4 is hydrogen;

R5, R7 and R8 are independently selected-from-hydrogen, halogen, hydroxyl, thiol, lower alkyl, substituted lower alkyl, alkoxy, alkylthio, acyl, aryloxy, amino, amido, carboxyl, aryl, substituted aryl, nitro, cyano, -CONHNH₂ or -S(O)₀₋₂R wherein R is alkyl, substituted alkyl, aryl, substituted aryl, heterocycle, heteroaryl, substituted heterocycle, or substituted heteroaryl; and

wherein R11, R12, R13, R15, R16, and R17 are hydrogen;

R10 is lower alkyl, substituted lower alkyl, alkoxy; methoxy, acyl or – SO₂PhCH₃; and wherein R11, R12, R13, R15, R16, and R17 are hydrogen.

45. (Previously Presented) The compound according to claim 21, selected from: